

Magnetite Nanoparticles as Effective Adsorbent for Water Purification-A Review

Mini Namdeo*

Centre of Excellence-Nanotechnology, Indian Institute of Technology Roorkee, Uttarakhand, India

*Corresponding author: Mini Namdeo, Centre of Excellence-Nanotechnology, Indian Institute of Technology Roorkee, Uttarakhand, India, Tel: 01332285490; E-mail: mini.namdeo@gmail.com

Received date: January 26, 2017; Accepted date: June 06, 2017; Published date: July 20, 2017

Copyright: © 2017 Namdeo M. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Water contamination by substantial metal particles and natural squanders is one of the major environment issues. Dangerous metal particles like Hg, Cr, Cd, As, Pb, Ur, and so forth are superfluous metals and thought to be of extraordinary risk for amphibian life, people, plants and other creature. These dangerous metal particles are specifically surrendered into water by sundry mechanical applications and by other human exercises. Magnetite nanocomposites are very much kened adsorbents for the reflection of awkwardly substantial metal particles from water. Because of their foremost physiochemical properties, cheap strategy and easy recovery within the sight of outside attractive field make them additionally enrapturing towards water cleaning. This survey fundamentally assesses the potential use of surface built magnetite nano-adsorbents in water sanitization.

Keywords: Nanoparticles; Adsorbent; Magnetite; Water purification

Introduction

Water is the most essential compound on earth for the human exercises. Giving clean water is the prime imperative of the individual for their better well-being. Water contamination is augmenting ecumenical because of the fast amplification of industry, augmentation human populace, residential and agrarian exercises which prompts the life time undermining sicknesses [1]. Contaminants continuing in wastewater incorporate awkwardly heavy metals, inorganic mixes, natural contaminations, and numerous other involute mixes [2-4]. These contaminants surrendering into the earth through wastewater are malicious to people and biological environment. Substantial cumbersome metal particles contamination is getting to be a standout amongst the most serious environment pickles ecumenically [5-8]. It is the most danger difficulty for populace in thick nations [9-13]. Keeping in mind the end goal to detoxify awkwardly heavy metals, sundry strategies like photocatalytical oxidation, synthetic coagulants, electrochemical, bioremediation, particle trade pitches, reverse osmosis, and adsorption have been utilized [14,15]. Late advances propose that huge numbers of the issues including water quality could be determined or extraordinarily enhanced using nanoparticles, nanofiltration or different items coming about because of the improvement of nanotechnology [16,17]. Nanomaterials have been proposed as effective, cost-adequate and ecological genial contrasting option to subsisting water medicines, from the stances of both asset preservation and natural remediation [18-20]. Utilization of iron oxide predicated nanomaterials is all the more enrapturing for reflection of awkwardly overwhelming metal particles pollution from water due to their considerable elements like moment size, high surface territory, and attractive property [21-26]. Attractive property of iron oxide nanoparticles empowers easy disseverment of adsorbents from the framework and could be reused for further application. Reusability of magnetite predicated nanomaterial prompts a decrementation in the financial weight. This survey assesses the principal properties of

magnetite nanomaterials. Also highlights not just the recent advancements in the use of iron oxide nanomaterials for wastewater treatment, yet furthermore crevices which obliged their enormously gigantic scale field application. Further the recent improvements on the use of magnetite polymer composite nanomaterials for the cleansing of defiled water is introduced.

Magnetite nanocomposites

Magnetite (Fe_3O_4), maghemite ($\gamma\text{-Fe}_2\text{O}_3$), and hematite ($\alpha\text{-Fe}_2\text{O}_3$) are the most prevailing types of iron oxide [27,28]. As of late, the amalgamation and usage of iron oxide nanocomposites with novel properties and capacities have been broadly considered, because of their size in nano-range, high surface region to volume proportions and super paramagnetism [29-31]. Solidly, the effortless amalgamation, covering or change, and the workforce to control or control matter on a nuclear scale could give unparalleled attractive minutes [32,33]. Supplementally, magnetite nanocomposites with low lethality, substance idleness and biocompatibility demonstrate an enormous potential in cumulation with biotechnology [34-38]. It is accounted for that readiness techniques and surface covering mediums assume a key part in deciding the size appropriation, morphology, attractive properties and surface science of nanomaterials [39,40]. Numerous scientists have been centering their endeavors on creating synthetic and physical techniques for the amalgamation of magnetite nanocomposites [41]. Recently, an assortment of amalgamation methodologies have been produced to incite top notch nanostructures [42] like, nano-ovals [43], nanobelts [44] and nanorings [45] or different nanostructures. Others strategies to amalgamation magnetite nanocomposites are depicted in Table 1.

To comprehend the manner of colloidal iron oxide particles and to enhance their application, carefully think about related to their steadiness is mandatory. Iron oxide nanoparticles are easily subject to conglomeration in watery and natural framework. Magnetite nanoparticles display the hydrophilic surface because of nearness of hydroxyl gatherings. There is a hydrophilic cooperation between

particles. These particles agglomerate to make cosmically colossal bunches. With a specific end goal to have steadiness among nanoparticles, there ought to be a harmony amongst charming and unpleasant power acting between these particles [62].

| Method | Synthesis details | Advantage | References |
|-------------------------------|---|---|------------|
| Microemulsion | Iron salt and base solution are commixed to disperse in oil phase by integrating surfactant | Diversity of magnetite nanoparticles is processed by varying the nature and concentration surfactant and reaction condition | [46-48] |
| Polyols method | Iron salt solvent dissolves in the polyols solvent. The suspension is whisked and boiled. Polyols act as reducing as well as stabilizer | Control of particle magnification, aversion of interparticle aggregation and obtaining well-defined morphology of particles | [49-51] |
| Sonolysis | Organometallic precursors are decomposed by sonolysis | High magnetization and crystallinity is attained | [52-54] |
| Gas-aerosol | Ferric salts and a reducing agent in organic solvent are sprayed into a series of reactors and aerosol solute compresses and dissipation of solvent occurs | Different size and shape of particles are framed by using different iron precursors | [55-57] |
| Sol-gel | Hydroxylation and condensation of molecular precursors in solution are kenneed as "sol," while evaporation of solvent to compose three-dimensional network of nanoparticles is called "gel" | Control of particles size and stability of particles in sol-gel matrix | [58] |
| Electrochemical decomposition | Iron oxide nanoparticles engendered by oxidation of iron electrode in aqueous solution | Particles size control by modifying current density | [59-61] |

Table 1: Various chemical methods for the synthesis of magnetite nanoparticles.

To surmount this scrape, there is an essential of electronic and steric strength of magnetite nanoparticles. Nearness of hydroxyl gatherings on the surface of these particles gives a diverse manufactured actualize to append distinctive functionalities. Surface alteration techniques of magnetite nanoparticles enhanced the strength and give novel properties to materials. Divergence of analytes by applying outside attractive field and effortless recovery procedure of magnetite nanoparticles for further utilize, makes it cost adequate and effective strategy in reflection of awkwardly heavy metals from water (outwardly see Figure 1).

By and large, nanomaterials ought to be steady to avoid conglomeration and bless a low deposition rate, keeping in mind the end goal to guarantee their reactivity and versatility [64-66]. In any case, it is accounted for that nanomaterials slope to total in arrangement [67]. Regularly, the strength of colloidal nanoparticles is affected by the electrostatic and van der waals collaborations [68]. One spellbinding potential methodology is the change of nanomaterials predicated on the way that magnetite nanomaterials could respond with various practical gatherings. The usage of stabilizer, electrostatic surfactant, and steric polymers has been broadly proposed for encouraging nanomaterials with non-solid moieties, group concrete or highly categorical ligands [69-72].




Figure 1: Schematic diagram shows the synthesis, surface fictionalization, application and regeneration of magnetite nanoparticles in extraction of toxic metals [63].

There are a few distinct techniques that have been accounted for creation of iron oxide nanoparticles. Extension of alkoxy silane to the surface of magnetite nanoparticles using diverse silane coupling specialists is the most common surface change method. Organosilane is an enthralling reagent for surface alteration of nanoparticles in view of an effortless business accessibility. By using this reagent, a basic engineered technique is proposed to immobilize on the surface of nanoparticles which gives assortment of usefulness [73-75]. Si-OR gathering of silane responds with surface hydroxyl gathering of magnetite nanoparticles. Trialkoxy profits to present sundry utilitarian gatherings, for example, amine, azide, aldehyde, thio, halide, hydroxyl, and corrosive on the surface of magnetite nanoparticles. Silane coupling operator further gives diverse executes to append little natural atoms, polymers, and biomolecules to the surface. The surface of magnetite nanoparticles alters by PEG (poly-ethyl-glycol) using APS (3aminopropyltriethoxisilane) [76].

Oleic corrosive on the surface of magnetite nanoparticles is superseded by biocompatible silane PEG polymer for attractive reverberation imaging of murine tumors [77]. The surface modification of attractive nanoparticles by covering with silica [78]. Because of hydrophilic nature, nanoparticles can effortlessly total. Vinyltriethoxysilane goes about as a coupling operator, which gives hydrophobicity to the surface of magnetite nanoparticles and abatements their agglomerations [78]. Cyanoethyl triethoxysilane is immobilized on the surface of magnetite. Cyano bunch at first glance balances out the magnetite nanoparticles and withal revises the cell marking and the cell focusing on [79]. Click chemistry is moreover an important strategy to alter iron oxide nanoparticles. Click reactions, for example, azide-alkyne, thio-ene, thio-yne, and diels-birch are used for adjustment of the surface of attractive nanoparticles. Oligonucleotides are immobilized on the surface of SPINOs (Super paramagnetic iron oxides nanoparticles). Azide-alkyne copper intercedes click reactions between oligonucleotides bearing alkyne with NHSeater reagent and azide practical gathering on the surface of SPINOs. Surface of SPINOs adjusts by copolymers of poly(glycidyl methacrylate) and poly(ethylene glycol) methyl ether methacrylate using iota exchange free radical polymerization (ATRP) and presents folic corrosive (FA) through azide-alkyne click reaction and they balance out in the water to extend *in vivo* dissemination time [80].

Characterization of Magnetite Nanoparticles

Distinctive methods are extensively utilized as a part of the written work for magnetite nanoparticle depiction and surface determination i.e., Transmission Electron Microscopy (TEM), Scanning Electron Microscopy (SEM), Fourier Transform Infrared spectroscopy (FTIR), Powder X-shaft Diffraction (XRD) Technique, Atomic Absorption Spectroscopy (AAS), Gel Permeation Chromatography (GPC), Differential Scanning Calorimetry (DSC), Thermogravimetric Analysis (TGA) and Electrical Conductivity Quantification.

Among the sundry strategies utilized for the determination of the atom size and size scattering of nanoparticles, a couple are important in sundry compound circumstances, i.e., minuscule edge X-shaft dispersing (SAXS) and component light scattering (DLS). One particular purpose of enthusiasm of SAXS is that it can be habituated to separate scatterings and likewise powders, however DLS is constrained to debilitate courses of action. Differentiating SAXS and a photo guided system like transmission electron microscopy (TEM), SAXS benefits by a higher authentic quality in the size course innovation giving information about vital particles and aggregates from a single dispersing test. Supplementally, no high vacuum is required, which controls the case to solid state tests. TEM has its strong points of interest as it appropriates direct pictures and local information on morphology and stage present of nanoparticles. In this way, these two frameworks are correlative and cumulating both procedures can provoke preferred information with deference over shape and size of nanoparticles in scatterings or powders [81].

Figure 2 includes a portion of the imperative attributes of magnetite nanoparticles like the size and state of nanoparticles by FE-SEM and TEM (Figures 2a and 2c), which demonstrates that nanoparticles are accumulated to each other amid the drying procedure in readiness. The high-amplification SEM picture (Figure 2b) and TEM picture (Figure 2c) demonstrate that the nanocrystals are generally circular and their sizes are sensibly uniform, extending from 10 to 16 nm in measurement. The XRD diffraction design in Figure 2e demonstrates six trademark 2θ tops 30.1°, 35.5°, 43.1°, 53.4°, 57.0° and 62.6°, which

are doled out to the (220), (311), (400), (422), (511) and (440), hkl value estimations of magnetite stages.




Figure 2: Characterization of Magnetite nanoparticles, (A) low-magnification SEM and (B) high-magnification SEM; (C) TEM; (D) Particle size distribution; (E) XRD pattern; and (F) Magnetic hysteresis curve [82].


Along these lines the subsequent nanoparticles ought to have superparamagnetic conduct. The hydrodynamic size of magnetite is assessed by DLS. Figure 2d demonstrates that the zenith of the hydrodynamic width of magnetite nanoparticles is situated at 155 nm. Plot of polarization versus outer attractive field at 300 K for the magnetite is appeared in Figure 2f. The immersion polarization is 68:6 emu/g, which is commensurable with reported magnetite nanoparticles of a related size and a run of the mill attributes of superparamagnetic department are demonstrated by the close to zero coercivity and remanence.

Magnetite Nanoparticles as an Effective Adsorbent

Nano materials are to a great degree solid as a uniqueness medium for water purifying as they contain different key physico-engineered properties, for instance, high surface region to mass extent in view of decremented size of materials (nm estimation) that prompts the availability of a hugely giant number of iotas or atoms at first look to update the adsorption of contaminants [83]. Certain electronic and synergist properties associated with humble size and sizably voluminous surface zone give astounding opportunities to develop more viable water refinement catalysts and redox dynamic media.

Nanomaterials can withal be functionalized with different creation utilitarian social events to make them target particular and cement for different contaminants. Utilizing nanomaterials as a water disinfecting system give less waste instigated after the treatment as proximately all adsorbent particles or atoms on infinitely colossal surfaces are viably utilized for adsorption. Nanomaterials especially got from iron oxides (Fe_3O_4 , $-\text{Fe}_2\text{O}_3$) show an enormous potential in water purging

associated with its exceptional traits like low noxious quality, compound dormancy, biocompatibility and super paramagnetism [84].



Various procedures are accessible for abstracting awkwardly overwhelming metals from waste water including warm, natural and chemical techniques, for example, coagulation, substance precipitation, dissolvable extraction, electrolysis, ultrafiltration film disseverment, and adsorption, light and electro dialysis. Yet, sorption strategies including adsorption and particle trade are potential options for waste water purging. Adsorption is a procedure where a substance (adsorbate) fastens (adsorbs) to another substance (adsorbent) by physical and concoction associations. Sorbate must diffuse from water or gas stage onto the sorbent surface and every now and again into the inside pore of sorbent (Figure 3).

The competency of Magnetite nanomaterials (MNM) to digest contaminants has been exhibited at both research facility and field scale tests. Momentum uses of MNMs in tainted water treatment can be separated into two gatherings: (a) advancements which use MNMs as a sort of nanosorbent for the reflection of overwhelming massive metal particles and (b) MNMs as photocatalysts to separate or to change over natural contaminants into a less lethal [86,87].

Removal of Arsenic Metal Ion

Water debasement by arsenic salt is one of the immensely titanic natural pollution. It causes life time ailments, for instance, ailment, neurological perplexity, squeamishness, hyperkeratosis, strong impuissance, and various others [88]. Arsenic polluting in swallowing water has been found locally which can be coordinated to different contaminations. It was represented by world prosperity relationship in 2006 that around 45-57 million people in Bangladesh and 13 million people in Amalgamated States have been exhibited to hazardous arsenic sullied water [89]. As indicated by guidelines of USEPA, most noteworthy contaminant level of arsenic in the splashing up water should be 0.010 ppm [90]. It is thus important to have a strong system to process arsenic from the normal water and waste water. Magnetite nanoparticles have demonstrated discernible result for sanitization of arsenic from the dihydrogen monoxide [91-93]. So, they could get the opportunity to be cost-strong materials for cleaning of arsenic from the water. The minute size and high surface region of magnetite nanoparticles make them flawless adsorbent. Ponderously overpowering metals in the game plan easily diffuse on the dynamic surface of Fe_3O_4 nanoparticles. Surface scope of appealing

nanoparticles accept a focal part in the adsorption strategy. The high surface nanoparticles can essentially encounter aggregation in the course of action which could decrement their viability so it is key to modify the surface of magnetite nanoparticles for upgrading their development. Surface of iron oxides nanoparticles can be balanced by the expansion with perfect utilitarian get-togethers, for instance, carboxylic acids, phosphoric destructive, silanol, thio, and amine and also minute common particles, biomolecules, polymer, and other metal nanoparticles. Supermagnetic ascorbic destructive secured Fe_3O_4 by watery procedure. These nanocomposites have a broadness under 10 nm and surface zone around $179 \text{ m}^2/\text{g}$ [94]. The ascorbic destructive secured Fe_3O_4 exhibits super paramagnetic property at room temperature and submersion polarization approaches 40 emu/g and they are used as an adsorbent to process arsenic from the waste water. The most amazing adsorption farthest point of As(V) and As (III) is 16.56 mg/g , and 46.06 mg/g , independently, as took after by Langmuir isotherm [94]. Advancement of Fe_2O_3 nanoparticles in the system of cellulose has been represented by one pot creation co-precipitation technique [95]. The surface region of these nanocomposites is $113 \text{ m}^2/\text{g}$. They are shown for the consideration of arsenic from watery course of action. They demonstrated splendid adsorption capacity to process As(III) and As(V) 23.16 , 32.11 , 9.64 , and 3.25 mg/g took after by Langmuir and Freundlich isotherm, independently. Cyclodextrin (CM β CD)-monodisperse magnetite nanoparticles with typical nanoparticles size 10 nm are yare by warm decay and post joining technique [96]. These CMCD- Fe_3O_4 are acclimated to remediate of As(III), As(V), 2-naphthol, and naphthalene. Fe_2O_3 mid-area nut-like amorphous focus/-stage shell different leveled nanostructure that showed the mind-boggling adsorption of As(V). It adsorbed $143.12 \text{ m}^2/\text{g}$ of As(V) [97]. The combination of half and half attractive nanoparticles (HMNPs) that were orchestrated as iron oxide invigorated on the winnowed multiwalled carbon nanotubes (MWCNT's- Fe_3O_4) gotten from MWCNT's oxidized with HNO_3 . These HMNP's are used for arsenic reflection from groundwater. The adsorption procedure variables are streamlined (centralization of nanoparticles, contact time, and pH), and these frameworks could extract $39.93 \text{ mg As/g adsorbent}$. Therefore, these nanoparticles show up as a decent option for abstracting arsenic from debased water tests [98].

Removal of Copper Metal Ion

Copper has enormous mechanical applications. It is used in the electroplating, paint and shade industry, electrical, and compost. Because of extensive variety of use of copper can be amassed in the earth which makes water more dirty. For the deliberation of copper magnetite nanoparticles surface is changed by ligand 1; 6-hexadamine [99]. The balance is accomplished inside five minutes and energy took after the pseudo second request component. The most extreme adsorption limit is observed to be 25.77 mg/g at pH 6 and 298 K .

Amine utilitarian gathering furthermore immobilized on the surface of silica covered attractive nanoparticles by 3-aminopropyltriethoxysilan using sol-gel strategy. The adsorption limit of attractive nanoparticles that display amine gathering is 22.4 mg/g [100]. Banerjee and Chen reported Fe_3O_4 -gum-arabic nanocomposite for the consideration of Cu(II) [101]. Gum Arabic (GA) is connected to surface of Fe_3O_4 by method for coupling between surface hydroxyl social event of nanoparticles and carboxylic destructive get-together of GA. The ordinary widths of particles are in the extent of $13\text{-}67 \text{ nm}$ and 5.1 wt\% of arabic gum is immobilized. The adsorption rate is so brisk and agreement is proficient inside 2 minutes. It demonstrated that

substance adsorption happens and incredible complexation amongst Cu(II) and amine gathering of arabic gum is created. The zeta potential quality augmented with abatement in pH of arrangement because of protonation of hydroxyl gathering of nanoparticles and carboxylic corrosive and amine gatherings of GA. The impact of pH on adsorption is furthermore examined at pH<2 no adsorption occurred. From pH 2-6 adsorption increments with expansion in pH. The adsorption limit of attractive nanoparticles and GAMNP is 17.6 and 38.5 mg/g, separately, which is taken after Langmuir isotherm. GA-MNP recovered by using corrosive arrangement. The GAMNP displays great reusability. The adsorption limit of GA-MNP was 28.12, 27.64, and 27.18 mg/g in to start with, second, and third adsorption-desorption cycles, individually [101]. Chitosan covered maghemite nanoparticles were changed with a biodegradable and eco-friendly reagent α -ketoglutaric corrosive and showed for reflection of Cu(II) from water [102]. The adsorption information indicated taking after Langmuir isotherm and most extreme limit of Cu(II) deliberation were 96.15 mg/g. The impact of pH and temperature was withal illustrated. The adsorption limit increments with expansion in pH [103]. Attractive composite microspheres heading of Fe₃O₄ nanoparticles and polyacrylic corrosive chitosan (CS/PAA) were yare by synthetic coprecipitation technique as an effective adsorbent for reflection of Cu(II) [104]. The CS/PAA-Fe₃O₄ microspheres have been displayed higher adsorption limit than CS-Fe₃O₄ microspheres. The Fe₃O₄-polyvinyl acetic acid derivation iminodiacetic corrosive contains EDTA and was furthermore auxiliary adsorbent for reflection of Cu(II) [105]. Carboxymethyl--cyclodextrin changed with magnetite nanoparticles (CM β CD-Fe₃O₄) are the effective attractive adsorbents for the detoxification of copper particles from the water. CMCD joined on the surface of attractive nanoparticles via carbodiimide strategy. The high proficiency of this attractive adsorbent is because of the nearness of numerous hydroxy and carboxyl gatherings. The adsorption of Cu(II) onto CM β CD-MNPs is observed to be subject to pH and temperature [106].

Removal of Chromium Metal Ion

Chromium, which is a standout amongst the most lethal metals, is commixed into river stream and ground water through the electroplating businesses, metal finishing, cowhide tanning and chrome plating. In the Coalesced States, it is the second most ordinary inorganic contaminant in waters after lead [107]. Chromium subsists generally in two valence states, in particular Cr (III) and Cr (VI), out of which the Cr (VI) is of the considerable worry because of its lethality. The mechanistic cytotoxicity of Cr (VI) is not perfectly saw, in any case, a monstrosly monster number of studies have exhibited that it actuates oxidative anxiety, DNA harm and apoptotic cell demise [108]. Cr (VI) has been accounted for to be in charge of lung disease, chrome ulcer, aperture of nasal septum and mind and kidney harm [109]. The real reason for its intense danger is its fast diffusivity through the skin which empowers it to respond with natural frameworks and harm sundry organs. Natural scientific experts and material researchers have constantly centered their consideration on the advancement of cost-effectual adsorbents which could be abused for the solid reflection of Cr (VI) from fluid arrangement. These incorporate an assortment of sorbents, for example, polysaccharides [110], wood mash [111], cocoa coals [112], sawdust [113], manufactured hydrous stannic oxide [114], cationized ligano-cellulosic materials [115] and so forth.

As of late nanomaterials have gotten extensive consideration because of their humble molecule size, cosmically monstrous surface

range, minimal effort and encourage of arrangement. A large number of the applications and hypothetical points of interest of using nanoparticles for disagreements solidly as connected to biomolecular disseverments [116]. A portion of the real points of interest are related to cosmically enormous and controllable surface range, cost-economy, non-lethality, their scattered nature which shuns numerous traditional problems related to stopping and fouling of pressed segment and layers, and so on. The significant points of interest of using magnetite nanomaterials for disseverment processor incorporate their significantly more modest size (i.e., ~ 10nm), high surface range and for all intents and purposes immaterial mass exchange resistance [117]. The high-angle attractive disseverment (HGMS) could recover 98% water predicated magnetite nanoparticles covered with a bifunctional polymer.

Attractive grapheme nanocomposites are accounted for by one pot warm disintegration technique [118]. It is a productive nanomaterial for reflection of Cr(VI) from the waste water at low pH. The cosmically colossal immersion charge (96.3 emu/g) of the orchestrated nanoparticles sanctions speedy divergence of the adsorbent. Reusing procedure is all the more vigorously and monetarily manageable. The altogether lessened treatment time required to extract the Cr(VI) and the pertinence in treating the arrangements with low pH makes attractive graphene adsorbent promising for the productive deliberation of largely awkward metals [118]. Montmorillonite sustained Fe₃O₄ nanoparticles showed great adsorption limit than Fe₃O₄ for deliberation of Cr(VI) [119]. The high productivity is because of montmorillonite had porosity which gives better scattering of magnetite nanoparticles inside and less conglomeration. The Magnetic nanoparticles braced on organ peel substance by using redox precipitation technique. These nanoparticles have the 20 × 80 nm tubular shapes and octahedral precious stones around 20-40 nm. It showed higher adsorption limit than unmodified appealing nanoparticles towards the impression of Cr(VI) [120]. Magnetite-polypyrrole (Fe₃O₄/PPy) composite microspheres have been consolidated utilizing Fe₃O₄ microspheres as a compound arrangement under sonication. Fe₃O₄/PPy have a vigorous adsorption limit for Cr(VI) with a most compelling adsorption farthest point of around 209.2 mg/g [121].

Removal of Uranium Metal Ion

Uranium is imported into groundwater fundamentally from the handling of uranium minerals. Uranium mining, processing, handling, and transfer, all can possibly sully groundwater. In additament, characteristic uranium assembly happens in territories with high common uranium foundation fixations [122]. Uranium is a lethal and radioactive component. Uranyl mixes have a high liking for phosphate, carboxyl, and hydroxyl bunches and yarely amalgamate with proteins and nucleotides to form stable buildings. The skeleton and kidney are the essential destinations of uranium amassing; a little can be found in the liver. The retained uranium quickly enters the circulatory system and structures a diffusible ionic uranyl hydrogen carbonate many sided in balance with a non-diffusible uranyl egg whites involute. In the skeleton, the uranyl particle supersedes calcium in the hydroxyapatite involute of the bone precious stone. When balance is secured in the skeleton, uranium is discharged by pee and dung. Under antacid conditions, the uranyl hydrogen carbonate involute is steady and is also discharged. In any case, when the pH esteem drops, the involute separates and ties to the cell proteins in the tubular divider. The moiety-life of uranium in the rodent kidney was observed to associate with 15 days, notwithstanding it is extensively more (300-5,000 days)

in the skeleton [123,124]. Magnetite nanoparticles tried for uranium sorption and deliberation from water sources are hematite [125], goethite [126], ferrihydrite [127], and undefined iron oxides [128,129]. By and large, press oxides adsorb uranium proficiently at pH values correlated to guzzling water treatment i.e., in the pH range somewhere around 5 and 9 [130]. Sorption isotherms for uranium deliberation onto iron oxy-hydroxides and found that around 0.125 mol of U(VI) was dreamy per mole of Fe(III) at harmony U(VI) centralization of 0.5 mg/L without carbonate [131]. The measure of adsorbed U(VI) decremented significantly with increasing carbonate focuses.

Removal of Lead Metal Ion

Lead is a wellbeing risk for all people, and youngsters and also grown-ups in for all intents and purposes each area of the globe are

being presented to risky levels of lead in the earth. Both word related and ecological exposures to lead remain a grave issue in numerous creating and industrializing nations and in some created nations. In Eastern Europe and numerous creating nations, air contamination is the essential wellspring of lead introduction. Be that as it may, in the Cumulated States the real wellsprings of lead introduction have gotten to be tainted soil and water [132]. Notwithstanding the way that water is rarely the essential wellspring of lead presentation for kids the Environmental Auspice Agency assessed in 2007 that on a normal 20 percent of a tyke's aggregate lead introduction can conceivably be ascribed to lead-defiled dihydrogen monoxide. There is right now different approaches to extract lead from water. Some of them are depicted in Table 2.

| Absorbents | Qmax (mg/g) Pb ²⁺ | References |
|--|------------------------------|------------|
| Magnetic chitosan nanocomposites | 32.3 | [133] |
| Iron oxide nanoparticles immobilized-sand material | 2.1 | [134] |
| Al ₂ O ₃ -supported iron oxide | 8.2 | [135] |
| Al ₂ O ₃ -supported iron oxide | 16.9 | [136] |
| Cellulose-iron oxide Nano spheres | 21.5 | [137] |

Table 2: Maximum adsorption capacity of Pb(II) ions onto various iron oxide-based adsorbents.

A novel co-precipitation course to get ready attractive nanocomposites of cellulose utilizing 1-butyl-3-methylimidazolium chloride ([Bmim]Cl) IL as co-dissolvable for cellulose and iron salt [137]. This strategy is predicated on the competency of ILs to co-separate cellulose and inorganic salt. Some captivating segments are, (i) This procedure is particularly direct and [Bmim]Cl can be basically and suitably distracted and reused, (ii) The mix of the monodisperse g Fe₂O₃ NPs with ultra-minute size (<5 nm) is depleting to finish in other customary co-precipitation methods and its colossally enormous surface region is cheerful for the adsorption of hazardous contaminants and (iii) Cellulose not simply obliged as a satisfactory fixing master to offset iron oxide and prevent atom all out, yet besides controlled the structures and morphology of iron oxide particles.

The alluring nanocomposites showed awesome adsorption adequacy for Pb(II) and methylene blue differentiated and other reported appealing materials. The adsorption furthest reaches of the alluring

nanospheres for the impression of Pb(II) and methylene blue are seen to be 21.5 and 40.5 mg g⁻¹, separately [137].

Removal of other metal Ions

Magnetite nanomaterials (MNM)s could emphatically remove an extent of intensely unwieldy metals, including Pb²⁺, Hg²⁺, Cd²⁺, Cu²⁺ et al.,. An once-over of functionalized MNMs with their sorption limit qualities is laid out in Table 3. In any case, press oxide-predicated advancement for clumsily overwhelming metal adsorption is still at a reasonably early stage for wide application. It is apperceived that much work is required to impel recognition in the scope of MNMs, and the trading of these materials from examination office to handle scale application incorporates various intricacies. With expanding designs in contaminant reflection treatment, more data of MNMs is required to be open on execution and cost substructure, which can give extra information to infinitely enormous scale mechanical application [138].

| Nanosorbents | Functional groups | Heavy metal ions | References |
|--|-------------------|--|------------|
| Mesostructured silica | -NH ₂ | Cu(II) | [139] |
| Magnetic iron-nickel oxide | - | Cr(VI) | [140] |
| Dimer captosuccinic acid | Thiol group | Hg(II), Ag(I), Pb(II), Cd(II), Tl ⁺ | [141] |
| Montmorillonite-supported MNPs | -AlO; -SiO | Cr(VI) | [142] |
| PEI-coated Fe ₃ O ₄ MNPs | -NH ₂ | Cr(VI) | [143] |

| | | | |
|--|-------------------------------|---------------------------------|-------|
| δ -FeOOH-coated γ -Fe ₂ O ₃ MNPs | - | Cr(VI) | [144] |
| Humic acid | Carboxylic and Phenolic group | Hg(II), Pb(II), Cd(II), Cu(II) | [145] |
| Flower-like iron oxides | - | As(V), Cr(VI) | [146] |
| dendrimers | Amine group | Zn(II) | [147] |
| Hydrous iron oxide MNPs | - | As(V), Cr(VI) | [148] |
| Fe ₃ O ₄ -silica | Si-OH | Pb(II), Hg(II) | [149] |
| m-PAA-Na-coated MNPs | -COO | Cu(II), Pb(II) | [150] |
| Poly-L-cysteine coated Fe ₂ O ₃ MNPs | -Si-O; -NH ₂ | Ni(II), Pb(II) | [151] |
| Amino-modified Fe ₃ O ₄ MNPs | -NH ₂ | Cu(II), Cr(VI) | [152] |
| salicylic acid functionalized silica | Carboxylic group | Cu(II), Cd(II), Ni(II), Cr(III) | [153] |
| carboxymethyl- β - cyclodextrin | Carboxylic group | Cu(II) | [154] |
| (3-aminopropyl) | trimethoxysilane Amine group | Pb(II), Cd(II), Cu(II) | [155] |

Table 3: Functionalized iron oxide magnetic nanomaterials in heavy metal adsorption.

Removal of Organic Contaminants


Recent consideration has been coordinated at chemicals that are verifiably unregulated or not usually directed as contaminants but rather can possibly enter the earth and cause known or suspected unfavorable natural and human wellbeing impacts, for example, pharmaceuticals, individual consideration items, surfactants, different modern added substances, and endocrine disruptors, including hormones [156-158]. As indicated by US land overview (USCS), these chemicals are on the whole characterized as developing natural contaminants (EOCs). The nearness of these engineered chemicals in the wastewater or surface water may defile biological communities and surface and drinking water supplies. Late studies have demonstrated that EOCs may have natural impacts and even potential ecotoxicological sways on spineless creatures i.e., fish, green growth, mussels, furthermore human embryonic cells [159-165]. Till today, the greater part of the studies have focused on the event and destiny of EOCs in surface [166-170] and waste water frameworks [171-174]. Notwithstanding, there are just a couple studies are completed on ways to deal with expel EOCs from fluid media. Subsequently, the advancement of advances to evacuate legacy and rising natural contaminants from water is of extraordinary significance. Lately, attractive particles have gotten a great deal of consideration as effective adsorbents in light of the fact that their inalienable superparamagnetic properties make them alluring for attractive field helped partitions [175-178]. Case in point, attractive iron oxides (Fe₂O₃ and Fe₃O₄) have been accounted for as potential adsorbents for the deliberation of toxins from watery media [179-182]. Fe₃O₄ empty nanospheres are appeared to be a strong sorbent for red color (with the greatest adsorption limit of 90 mg/g) [183]. The immersion charge of arranged nanospheres is seen to be 42 emu/g, which is sufficient for attractive disseverment with a magnet (basic quality at 16.3 emu/g) [184]. These demonstrate that MNMs innovation is a novel, promising and alluring option for natural contaminant adsorption.

The surface attributes of the sorbents are imperative to the viability of the adsorption procedure. Since sorption of natural chemicals can be improved by covering of surfactants onto the sorbent, Wang et.al

orchestrated attractive for all time kept micelle exhibits (Mag-PCMAS) with a magnetite center and a silica permeable layer that for all time restricts surfactant micelles to the mesopores [185]. The attractive center takes into account quick division of the Mag-PCMAS from arrangement by applying an attractive field. Mag-PCMAS have been connected for the expulsion of hydrophobic mixes [185], normal natural matter [186], and oxyanions [187].

Removal of Organic Waste by Photocatalytic Decomposition

Magnetite nanomaterials can be a superior than normal photocatalyst holding detectable light. Separated and consistently related TiO₂, which basically ingests UV light with wavelengths of <380 nm (covering just 5% of the sunshine based degree) as a consequence of its wide band-opening of 3.2 eV, Fe₂O₃ with band-parted of 2.2 eV [188] is a spellbinding n-sort semiconducting material and a skilled credibility for photodegradation under obvious light condition. The best photocatalytic execution of MNMs over TiO₂ can be credited to expansive time of electron-hole sets through the thin band-opening light (Equation 1) [189].



Different sorts of Fe(III) oxides have been proposed, for occurrence, α -Fe₂O₃, γ -Fe₂O₃, α -FeOOH, β -FeOOH and γ -FeOOH, to worsen basic contaminations and decrease their ruinous tendency as a consequence of updated photocatalysis influence [190]. These MNMs are illustrative of an early approach to manage control the synergist properties of iron oxide for photocatalysis, towards a secured and strong wastewater treatment nanotechnology. An outline is the photodegradation of Congo red (CR) shading (C₃₂H₂₄N₆O₆S₂) by iron oxide nanoparticles which are joined by warm vanishing and co-precipitation approach [191]. The best reflection feasibility is 96% at a size of 100 nm.

The cumulation of metals with iron oxide nanomaterials can extend the imperativeness of oxidation-reduction response, and grade to be a reasonable framework for photocatalytic change [192]. In additament, in light of its thin bandgap, Fe₂O₃ can be related as a sensitizer of TiO₂

photocatalyst [193,194]. Electrons in the valence social events of TiO_2 are crashed into Fe_2O_3 as a consequence obviously of activity of the characteristic field in Fe_2O_3 - TiO_2 heterojunction. The charge go ahead between the valance get-togethers of Fe_2O_3 and TiO_2 is seen as a solid methodology to advance photocatalytic action of the relationship, since it results in an incrementation in the electron-hole recombination time [195,196]. Beginning late, a novel photograph Fenton-like structure has been set up with the subsistence of iron oxides and oxalate. Iron oxides were basically gone about as a photocatalyst, while oxalic ruinous could be elated to realize electron-hole sets. Figure 4 addresses the lucky structure for the obstruction of microorganisms' cell divider by MNPs. The adsorbed appealing nanoparticles limit the smallness, piece film channel, or stunner the layer of living beings. Fe^{2+} , surrendering from engaging nanoparticles, responds with hydrogen peroxide through Fenton's response, influencing OH-radical and making oxidation. Along these lines this property expands the usage of MNPs in impression of normal contaminants from water.




Figure 4: Schematic model represents potential cell damage after exposure of magnetic nanoparticles [85].

Summary

Wastewater treatment and their reuse is a practice identified with different favorable circumstances as to water equality and organization. The gigantic viability of magnetite nanocomposites to adsorb ponderously solid metals and characteristic poisons from water make them a champion amongst the most stunning and prosperous nanomaterials in the field of water remediation. As a kind of satisfactory photocatalysts, magnetite nanomaterials would show their ascendant preponderation even at a wellspring of unmistakable light. Amalgamation of the predominant adsorption execution and appealing properties of magnetite nanocomposites slant to be a promising approach to manage deal with a collection of natural troubles. Advances in iron oxide NMs could offer opportunities to making forefront adsorption structures with high breaking point, simple dis severment, and delayed lifecycles. The novel physical, mixture and alluring properties of magnetite nanomaterials can support various pushed applications in the change of adsorptive advances, and thusly prompt more capable and cost-sufficient remediation approaches as differentiated and routine advances.

References

- Schwarzenbach RP, Egli T, Hofstetter TB, von Gunten U, Wehrli B (2010) Global water pollution and human health. *Ann Rev of Environ Resour* 35: 109-136.

- O'Connor GA (1996) Organic compounds in sludge-amended soils and their potential for uptake by crop plants. *Sci of the Total Environ* 185: 71-81.
- Fatta KD, Kalavrouziotis IK, Koukoulakis PH, Vasquez MI (2011) The risks associated with wastewater reuse and xenobiotics in the agroecological environment. *Sci Total Environ* 409: 3555-3563.
- Li X, Zeng GM, Huang JH, Zhang DM, Shi LJ, et al. (2011) Simultaneous removal of cadmium ions and phenol with MEUF using SDS and mixed surfactants. *Desalination* 276: 136-141.
- Fujita M, Ide Y, Sato D, Kench PS, Kuwahara Y (2014) Heavy metal contamination of coastal lagoon sediments: Fongafale Islet, Funafuti Atoll, Tuvalu. *Chemosphere* 95: 628-634.
- Al-Musharafi SK, Mahmoud IY, Al-Bahry SN (2013) Heavy metal pollution from treated sewage effluent. *APCBEE Procedia* 5: 344-348.
- Naser HA (2013) Assessment and management of heavy metal pollution in the marine environment of the Arabian Gulf: a review. *Mari Pollu Bulle* 72: 6-13.
- Akinci G, Guven DE, Ugurlu SK (2013) Assessing pollution in Izmir Bay from rivers in western Turkey: heavy metals. *Environ Sci Proc Impac* 15: 2252-2262.
- Zan F, Huo S, Xi B, Su J, Li X, et al. (2011) A 100 year sedimentary record of heavy metal pollution in a shallow eutrophic lake, Lake Chaohu, China. *J Environ Monitor* 13: 2788-2797.
- Wang SL, Xu XR, Sun YX, Liu JL, Li HB (2013) Heavy metal pollution in coastal areas of South China: a review. *Marine Pollu Bulle* 76: 7-15.
- Li Z, Ma Z, van der Kuijp TJ, Yuan Z, Huang L (2014) A review of soil heavy metal pollution from mines in China: pollution and health risk assessment. *Sci Total Environ* 468: 843-853.
- Gowd SS, Reddy MR, Govil PK (2010) Assessment of heavy metal contamination in soils at Jajmau (Kanpur) and Unnao industrial areas of the Ganga Plain, Uttar Pradesh, India. *J of Hazard Mat* 174: 113-121.
- Deshpande PC, Tilwankar AK, Asolekar SR (2012) A novel approach to estimating potential maximum heavy metal exposure to ship recycling yard workers in Alang, India. *Sci Total Environ* 438: 304-311.
- Friedrich KA, Henglein F, Stimming U, Unkauf W (1998) Investigation of Pt particles on gold substrates by IR spectroscopy particle structure and catalytic activity. *Colloid Surf A: Physicochem Eng Aspec* 134: 193-206.
- Dimitrov DS (2006) Interactions of antibody-conjugated nanoparticles with biological surfaces. *Colloid and Surf A: Physicochem and Eng Aspec* 282: 8-10.
- Dastjerdi R, Montazer M (2010) A review on the application of inorganic nano-structured materials in the modification of textiles: focus on anti-microbial properties. *Colloid Surf B* 79: 5-18.
- Xu P, Zeng GM, Huang DL, Feng CL, Hu S, et al. (2012) Use of iron oxide nanomaterials in waste water treatment: a review. *Sci of the Total Environ* 424: 1-10.
- Friedrich KA, Henglein F, Stimming U, Unkauf W (1998) Investigation of Pt particles on gold substrates by IR spectroscopy particle structure and catalytic activity. *Colloids Surf A* 134: 193-206.
- Dimitrov D (2006) Interactions of antibody-conjugated nanoparticles with biological surfaces. *Colloids Surf A* 282: 8-10.
- Dastjerdi R, Montazer M (2010) A review on the application of inorganic nano-structured materials in the modification of textiles: focus on anti-microbial properties. *Colloid Surf B* 79: 5-18.
- Sun S, Zeng H (2002) Size-controlled synthesis of magnetite nanoparticles. *J Amer Chem Soc* 124: 8204-8205.
- Daou TJ, Pourroy G, Bégin-Colin S, Grenèche JM, Bouillet CU, et al. (2006) Hydrothermal synthesis of monodisperse magnetite nanoparticles. *Chem Mat* 18: 4399-4404.
- Wang J, Peng Z, Huang Y, Chen Q (2004) Growth of magnetite nanorods along its easy-magnetization axis. *J Cryst Growth* 263: 616-619.
- Mizutani N, Iwasaki T, Watano S, Yanagida T, Tanaka H, et al. (2008) Effect of ferrous/ferric ions molar ratio on reaction mechanism for hydrothermal synthesis of magnetite nanoparticles. *Bulle Mat Sci* 31: 713-717.

25. Du J, Jing C (2011) Preparation of thiol modified Fe₃O₄@ Ag magnetic SERS probe for PAHs detection and identification. *The J Phys Chem C* 115: 17829-17835.
26. Chen M, Yamamuro S, Farrell D, Majetich SA (2003) Gold-coated iron nanoparticles for biomedical applications. *J App Phys* 93: 7551-7553.
27. Cornel RM, Schwertmann U (1996) *The Iron Oxides. Structure, Properties, Reactions and Uses.*
28. Chan HBS, Ellis BL (2004) Carbon-encapsulated radioactive ^{99m}Tc nanoparticles. *Adv Mater* 16: 144-149.
29. McHenry ME, Laughlin DE (2000) Nano-scale materials development for future magnetic applications. *Acta Mater* 48: 223-238.
30. Afkhami A, Saber-Tehrani M, Bagheri H (2010) Modified maghemite nanoparticles as an efficient adsorbent for removing some cationic dyes from aqueous solution. *Desalination* 263: 240-248.
31. Pan BJ, Qiu H, Pan BC, Nie GZ, Xiao LL, et al. (2010) Highly efficient removal of heavy metals by polymer-supported nanosized hydrated Fe(III) oxides: behavior and XPS study. *Water Res* 44: 815-824.
32. Boyer C, Whittaker MR, Bulmus V, Liu JQ, Davis TP (2010) The design and utility of polymerstabilized iron-oxide nanoparticles for nanomedicine applications. *NPG Asia Mater* 2: 23-30.
33. Dias AMGC, Hussain A, Marcos AS, Roque ACA (2011) A biotechnological perspective on the application of iron oxide magnetic colloids modified with polysaccharides. *Biotechnol Adv* 29: 142-155.
34. Huang SH, Liao MH, Chen DH (2003) Direct binding and characterization of lipase onto magnetic nanoparticles. *Biotechnol Prog* 19: 1095-1100.
35. Roco MC (2003) Nanotechnology: convergence with modern biology and medicine. *Curr Opin Biotechnol* 14: 337-346.
36. Gupta AK, Gupta M (2005) Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications. *Biomaterials* 26: 3995-4021.
37. Bystrzejewski M, Pyrzyńska K, Huczko A, Lange H (2009) Carbon-encapsulated magnetic nanoparticles as separable and mobile sorbents of heavy metal ions from aqueous solutions. *Carbon* 47: 1201-1204.
38. Selvan ST, Tan TTY, Yi DK, Jana NR (2010) Functional and multifunctional nanoparticles for bioimaging and biosensing. *Langmuir* 26: 11631-11641.
39. Jeong U, Teng X, Wang Y, Yang H, Xia Y (2007) Superparamagnetic colloids: controlled synthesis and niche applications. *Adv Mater* 19: 33-60.
40. Machala J, Zboril R, Gedanken A (2007) Amorphous iron(III) oxides: a review. *J Phys Chem B* 111: 4003-4018.
41. Hassanjani RA, Vaezi MR, Shokuhfar A, Rajabali Z (2011) Synthesis of iron oxide nanoparticles via sonochemical method and their characterization. *Particuology* 9: 95-99.
42. Zhong JY, Cao CB (2010) Nearly monodisperse hollow Fe₂O₃ nanoovals: synthesis, magnetic property and applications in photocatalysis and gas sensors. *Sens Actuators B Chem* 145: 651-656.
43. Fan HT, Zhang T, Xu XJ, Lv N (2011) Fabrication of N-type Fe₂O₃ and P-type LaFeO₃ nanobelts by electrospinning and determination of gas-sensing properties. *Sens Actuators B* 153: 83-88.
44. Gotić M, Dražić G, Musić S (2011) Hydrothermal synthesis of α-Fe₂O₃ nanorings with the help of divalent metal cations, Mn²⁺, Cu²⁺, Zn²⁺ and Ni²⁺. *J Mol Struct* 993: 167-176.
45. Vidal J, Rivas V, Lopez-Quintela MA (2006) Synthesis of monodisperse maghemite nanoparticles by the microemulsion method. *Colloids and Surf A* 288: 44-51.
46. Chin AB, Yaacob II (2007) Synthesis and characterization of magnetic iron oxide nanoparticles via w/o microemulsion and Massart's procedure. *J Mat Proc Tech* 191: 235-237.
47. Han LH, Liu H, Wei Y (2011) In situ synthesis of hematite nanoparticles using a low-temperature microemulsion method. *Powder Techn* 207: 42-46.
48. Joseyphus RJ, Kodama D, Matsumoto T, Sato Y, Jeyadevan B, et al. (2007) Role of polyol in the synthesis of Fe particles. *J Magne and Magnet Mat* 310: 2393-2395.
49. Cai W, Wan J (2007) Facile synthesis of superparamagnetic magnetite nanoparticles in liquid polyols. *J Colloid and Interf Sci* 305: 366-370.
50. Abbas M, Rao BP, Naga SM, Takahashi M, Kim CG (2013) Synthesis of high magnetization hydrophilic magnetite (Fe₃O₄) nanoparticles in single reaction surfactantless polyol process. *Ceram Intern* 39: 7605-7611.
51. Qasemand RA, Gedanken A (2005) Sonochemical synthesis of stable hydrosol of Fe₃O₄ nanoparticles. *J Colloid and Interf Sci* 284: 489-494.
52. Park SJ, Kim S, Lee S, Khim ZG, Char K (2000) Synthesis and magnetic studies of uniform iron nanorods and nanospheres. *J Amer Chem Soc* 122: 8581-8582.
53. Kim EH, Lee HS, Kwak BK, Kim BK (2005) Synthesis of ferrofluid with magnetic nanoparticles by sonochemical method for MRI contrast agent. *J Magn and Magnet Mat* 289: 328-330.
54. Kumfer BM, Shinoda K, Jeyadevan B, Kennedy IM (2010) Gas-phase flame synthesis and properties of magnetic iron oxide nanoparticles with reduced oxidation state. *J Aeros Sci* 41: 257-265.
55. Li Y, Hu Y, Huang G, Li C (2013) Metallic iron nanoparticles: Flame synthesis, characterization and magnetic properties. *Particuol* 11: 460-467.
56. Saunders RW, Plane JM (2010) The formation and growth of Fe₂O₃ nanoparticles from the photo-oxidation of iron pentacarbonyl. *J Aeros Sci* 41: 475-489.
57. Cui H, Liu Y, Ren W (2013) Structure switch between - Fe₂O₃- Fe₂O₃ and Fe₃O₄ during the large scale and low temperature sol-gel synthesis of nearly monodispersed iron oxide nanoparticles. *Adv Powder Techn* 24: 93-97.
58. Marques RF, Garcia C, Lecante P, Ribeiro SJ, Noé L (2008) Electro-precipitation of Fe₃O₄ nanoparticles in ethanol. *J Magne and Magnet Mat* 320: 2311-2315.
59. Cabrera L, Gutierrez S, Menendez N, Morales MP, Herrasti P (2008) Magnetite nanoparticles: electrochemical synthesis and characterization. *Electrochimica Acta* 53: 3436-3441.
60. Fajarah F, Setyawan H, Widiyastuti W, Winardi S (2012) Synthesis of magnetite nanoparticles by surfactant-free electrochemical method in an aqueous system. *Adv Powder Techn* 23: 328-333.
61. Laurent S, Forge D, Port M, Roch A, Robic C, et al. (2008) Magnetic iron oxide nanoparticles: synthesis, stabilization, vectorization, physicochemical characterizations, and biological applications. *Chem Rev* 108: 2064-2110.
62. Neyaz N, Siddiqui WA, Nair KK (2014) Application of surface functionalized iron oxide nanomaterials as nanosorbents in extraction of toxic heavy metals from ground water: a review. *Intern J Environ Sci* 4: 472.
63. Schrick B, Hydutsky BW, Blough JL, Mallouk TE (2004) Delivery vehicles for zerovalent metal nanoparticles in soil and groundwater. *Chem Mater* 16: 2187-2193.
64. Kanel SR, Nepal D, Manning B, Choi H (2007) Transport of surface-modified iron nanoparticle in porous media and application to arsenic(III) remediation. *J Nanopart Res* 9: 725-735.
65. Tiraferri A, Chen KL, Sethi R, Elimelech M (2008) Reduced aggregation and sedimentation of zero-valent iron nanoparticles in the presence of guar gum. *J Colloid Interf Sci* 324: 71-79.
66. Lin CL, Lee CF, Chiu WY (2005) Preparation and properties of poly (acrylic acid) oligomer stabilized superparamagnetic ferrofluid. *J Colloid Interf Sci* 291: 411-420.
67. Chen KL, Mylon SE, Elimelech M (2007) Enhanced aggregation of alginate-coated iron oxide (hematite) nanoparticles in the presence of calcium, strontium, and barium cations. *Langmuir* 23: 5920-5928.
68. Hyeon T, Lee SS, Park J, Chung Y, Na HB (2001) Synthesis of highly crystalline and monodisperse maghemite nanocrystallites without a size-selection process. *J Am Chem Soc* 123: 12798-12801.

69. Harris L, Goff J, Carmichael A, Riffle J, Harburn J, et al. (2003) Magnetite nanoparticle dispersions stabilized with triblock copolymers. *Chem Mater* 15: 1367-1377.
70. Batalha IL, Hussain A, Roque A (2010) Gum arabic coated magnetic nanoparticles with affinity ligands specific for antibodies. *J Mol Recognit* 23: 462-471.
71. Sung YK, Ahn BW, Kang TJ (2012) Magnetic nanofibers with core (Fe₃O₄ nanoparticle suspension)/sheath (poly ethylene terephthalate) structure fabricated by coaxial electrospinning. *J Magn Magn Mater* 324: 916-922.
72. Sheng GI, Xiaodong SH, Benlan LI (2006) Surface organic modification of Fe₃O₄ nanoparticles by silane-coupling agents. *Rare Metals* 25: 426-430.
73. Mohammad-Beigi H, Yaghmaei S, Roostaazad R, Bardania H, Arpanaei A (2011) Effect of pH, citrate treatment and silanecoupling agent concentration on the magnetic, structural and surface properties of functionalized silica-coated iron oxide nanocomposite particles. *Physica E* 44: 618-627.
74. Kango S, Kalia S, Celli A, Njuguna J, Habibi Y (2013) Surface modification of inorganic nanoparticles for development of organic-inorganic nanocomposites-a review. *Prog in Poly Sci* 38: 1232-1261.
75. Barrera C, Herrera AP, Bezares N, Fachini E, Olayo-Valles R (2012) Effect of poly (ethylene oxide)-silane graft molecular weight on the colloidal properties of iron oxide nanoparticles for biomedical applications. *J Colloid Interf Sci* 377: 40-50.
76. Larsen EK, Nielsen T, Wittenborn T, Birkedal H, Vorup-Jensen T, et al. (2009) Size-dependent accumulation of PEGylated silane-coated magnetic iron oxide nanoparticles in murine tumors. *ACS Nano* 3: 1947-1951.
77. Ahangaran F, Hassanzadeh A, Nouril S (2011) Surfacedmodification of Fe₃O₄@SiO₂ microsphere by silane coupling agent. *Intern Nano Lett* 233: 1-5.
78. Forge D, Laurent S, Gossuin Y, Roch A, Vander EL, et al. (2011) An original route to stabilize and functionalize magnetite nanoparticles for theranosis applications. *J Magn and Magnet Mat* 323: 410-415.
79. Huang C, Neoh KG, Kang ET (2011) Combined ATRP and 'click'chemistry for designing stable tumor-targeting superparamagnetic iron oxide nanoparticles. *Langmuir* 28: 563-571.
80. Pabisch S, Feichtenschlager B, Kickelbick G, Peterlik H (2012) Effect of interparticle interactions on size determination of zirconia and silica based systems-A comparison of SAXS, DLS, BET, XRD and TEM. *Chem Phy Lett* 521: 91-97.
81. Liu Y, Li X, Bao S, Lu Z, Li Q, et al. (2013) Plastic protein microarray to investigate the molecular pathways of magnetic nanoparticle-induced nanotoxicity. *Nanotechn* 24: 175501.
82. Savage N, Diallo MS (2005) Nanomaterials and water purification: opportunities and challenges. *J Nanoparticle Res* 7: 331-342.
83. McHenry ME, Laughlin DE (2000) Nano-scale materials development for future magnetic applications. *Acta Mat* 48: 223-238.
84. Samuel CN, Tang Irene MCL (2013) Magnetic nanoparticles: Essential factors for sustainable environmental applications. *Water Res* 47: 2613 e2632.
85. White BR, Stackhouse BT, Holcombe JA (2009) Magnetic γ -Fe₂O₃ nanoparticles coated with poly-L-cysteine for chelation of As(III), Cu(II), Cd(II), Ni(II), Pb(II) and Zn(II). *J Hazard Mater* 161: 848-853.
86. Girginova PI, Daniel-da-Silva AL, Lopes CB, Figueira P, Otero M, et al. (2010) Silica coated magnetite particles for magnetic removal of Hg₂⁺ from water. *J Colloid Interf Sci* 345: 234-240.
87. Mandal BK, Suzuki KT (2002) Arsenic round the world: a review. *Talanta* 58: 201-235.
88. An B, Liang Q, Zhao D (2011) Removal of arsenic (V) from spent ion exchange brine using a new class of starch-bridged magnetite nanoparticles. *Water Res* 45: 1961-1972.
89. <https://www.epa.gov/regulatory-information-topic/regulatory-information-topic-water>
90. Yang W, Kan AT, Chen W, Tomson MB (2010) pH-dependent effect of zinc on arsenic adsorption to magnetite nanoparticles. *Water Res* 44: 5693-5701.
91. Yavuz CT, Mayo JT, Suchecki C, Wang J, Ellsworth AZ (2010) Pollution magnet: nano-magnetite for arsenic removal from drinking water. *Environ Geochem and Health* 32: 327-334.
92. Jeong Y, Fan M, Singh S, Chuang CL, Saha B, et al. (2007) Evaluation of iron oxide and aluminum oxide as potential arsenic (V) adsorbents. *Chemical Engineering and Processing: Process Intens* 46: 1030-1039.
93. Feng L, Cao M, Ma X, Zhu Y, Hu C (2012) Superparamagnetic high-surface-area Fe₃O₄ nanoparticles as adsorbents for arsenic removal. *J Hazard Mat* 217: 439-446.
94. Yu X, Tong S, Ge M, Zuo J, Cao C, et al. (2013) One-step synthesis of magnetic composites of cellulose iron oxide nanoparticles for arsenic removal. *J Mat Chem A* 3: 959-965.
95. Chalasani R, Vasudevan S (2012) Cyclodextrin functionalized magnetic iron oxide nanocrystals: a host-carrier for magnetic separation of non-polar molecules and arsenic from aqueous media. *J Mat Chem* 22: 14925-14931.
96. Mou F, Guan J, Xiao Z, Sun Z, Shi W, et al. (2011) Solvent-mediated synthesis of magnetic Fe₂O₃ chestnutlike amorphous-core/-phase-shell hierarchical nanostructures with strong As(v) removal capability. *J Mat Chem* 21: 5414-5421.
97. Bavio MA, Lista AG (2013) Synthesis and characterization of hybrid-magnetic nanoparticles and their application for removal of arsenic from groundwater. *The Sci World J*.
98. Hao YM, Man C, Hu ZB (2010) Effective removal of Cu (II) ions from aqueous solution by amino-functionalized magnetic nanoparticles. *J of Hazard Mat* 184: 392-399.
99. Hui L, Xiao DL, Hua HE, Rui L, Zuo PL (2013). Adsorption behavior and adsorption mechanism of Cu (II) ions on amino-functionalized magnetic nanoparticles. *Transac of Nonfer Metals Soc* 23: 2657-2665.
100. Banerjee SS, Chen DH (2007) Fast removal of copper ions by gum arabic modified magnetic nano-adsorbent. *J Hazardous Materials* 147: 792-799.
101. Zhou YT, Nie HL, Branford-White C, He ZY, Zhu LM (2009) Removal of Cu²⁺ from aqueous solution by chitosan coated magnetic nanoparticles modified with ketoglutaric acid. *J of Colloid and Interf Sci* 330: 29-37.
102. Chang YC, Chen DH (2005) Preparation and adsorption properties of monodisperse chitosan-bound Fe₃O₄ magnetic nanoparticles for removal of Cu (II) ions. *J Colloid and Interf Sci* 283: 446-451.
103. Yan H, Yang L, Yang Z, Yang H, Li A (2012) Preparation of chitosan/poly (acrylic acid) magnetic composite microspheres and applications in the removal of copper (II) ions from aqueous solutions. *J Hazard Mat* 229: 371-380.
104. Tseng JY, Chang CY, Chang CF, Chen YH, Chang C, et al. (2009) Kinetics and equilibrium of desorption removal of copper from magnetic polymer adsorbent. *J Hazard Mat* 171: 370-377.
105. Badruddoza AZM, Tay ASH, Tan PY, Hidajat K, Uddin MS (2011) Carboxymethyl- β -cyclodextrin conjugated magnetic nanoparticles as nano-adsorbents for removal of copper ions: synthesis and adsorption studies. *J Hazardous Mat* 185: 1177-1186.
106. Wielinga B, Mizuba MM, Hansel CM, Fendorf S (2001) Iron promoted reduction of chromate by dissimilatory iron-reducing bacteria. *Environ Sci Techn* 35: 522-527.
107. Namdeo M, Bajpai SK (2008) Investigation of hexavalent chromium uptake by synthetic magnetite nanoparticles. *EJEAF Che* 7: 3082-3094.
108. Stohs SJ, Bagchi D, Hassoun E, Bagchi M (1999) Oxidative mechanisms in the toxicity of chromium and cadmium ions. *J Environ Pathol Toxicol and Oncol* 19: 201-213.
109. Namdeo M, Bajpai SK (2008) Investigation of hexavalent chromium uptake by synthetic magnetite nanoparticles. *EJEAF Che* 7: 3082-3094.
110. Abdel-Halim ES, Abou-Okeil A, Hashem A (2006) Adsorption of Cr (VI) oxyanions onto modified wood pulp. *Poly-Plast Techn and Eng* 45: 71-76.

111. Gode F, Pehlivan E (2006) Chromium (VI) adsorption by brown coals. *Energy Sour* 28: 447-457.
112. Barut D, Korkmaz N, Astley ST, Aygün M (2014) Synthesis, X-ray structural and thermal analysis of a novel copper compound containing dissymmetric independent 5-and 6-coordinate CuL (H₂O) _n (n= 2, 3) units and hydrogen bond bridges. *Acta Chimica Slovenica* 62: 88-94.
113. Goswami S, Ghosh UC (2005) Studies on adsorption behaviour of Cr (VI) onto synthetic hydrous stannic oxide. *Water SA* 31: 597-602.
114. Zghida H, Baouab MHV, Gauthier R (2003) Sorption of chromium oxyanions onto cationized lignocellulosic material. *J App Poly Sci* 87: 1660-1665.
115. Bucak S, Jones DA, Laibinis PE, Hatton PA (2003) Synthesis of Nanocomposites. *Biotechnol Prog* 19: 477-484.
116. Ashtari P, Wang K, Yang X, Hwang S, Yamini Y (2005) Removal of Synthetic Hydrous from Wood. *Analy Chimica Acta* 550: 18-23.
117. Zhu J, Wei S, Gu H, Rapole SB, Wang Q, et al. (2011) One-pot synthesis of magnetic graphene nanocomposites decorated with core double-shell nanoparticles for fast chromium removal. *Environ Sci Technol* 46: 977-985.
118. Yuan P, Fan M, Yang D, He H, Liu D, et al. (2009) Montmorillonite-supported magnetite nanoparticles for the removal of hexavalent chromium [Cr (VI)] from aqueous solutions. *J Hazard Mat* 166: 821-829.
119. Lopez-Tellez G, Barrera-Diaz CE, Balderas-Hernandez P, Roa-Morales G, Bilyeu B (2011) Removal of hexavalent chromium in aquatic solutions by iron nanoparticles Embedded in Orange peel pith. *Chem Eng J* 173: 480-485.
120. Wang Y, Zou B, Gao T, Wu X, Lou S, et al. (2012) Synthesis of orange-like Fe₃O₄/PPy composite microspheres and their excellent Cr(VI) ion removal properties. *Journal of Materials Chemistry* 22: 9034-9040.
121. Barnett MO, Jardine PM, Brooks SC, Selim HM (2000) Adsorption and transport of uranium(VI) in subsurface media. *Soil Sci Soc Am J* 64: 908-917.
122. WHO (2005) Uranium in drinking water background document for the development of WHO guidelines for drinking water quality.
123. Zamora ML, Zielinski JM, Meyerhof DP, Moss MA (1998) Chronic ingestion of uranium in drinking water: a study of kidney bioeffects in humans. *Toxicol Sci* 43: 68- 77.
124. Bargar JR, Reitmeyer R, Lenhart JJ, Davis JA (2000) Characterization of U(VI)carbonato ternary complexes on hematite: EXAFS and electrophoretic mobility measurements. *Geochim Cosmochim Acta* 64: 2737-2749.
125. Duff MC, Amrhein C (1996) Uranium(VI) adsorption on goethite and soil in carbonate solutions. *Soil Sci Soc Am J* 60: 1393-1400.
126. Waite TD, Davis JA, Payne TE, Waychunas GA, Xu N (1994) Uranium(VI) adsorption to ferrihydrite: Application of a surface complexation model. *Geochim Cosmochim Acta* 58: 5465-5478.
127. Katsoyiannis IA, Althoff HW, Bartel H, Jekel M (2006) The effect of groundwater composition on uranium(VI) sorption onto bacteriogenic iron oxides. *Water Res* 40: 3646-3652.
128. Katsoyiannis IA (2007) Carbonate effects and pH-dependence of uranium sorption onto bacteriogenic iron oxides: Kinetic and equilibrium studies. *J Hazard Mater* 139: 31-37.
129. Barnett MO, Jardine PM, Brooks SC (2002) U(VI) adsorption to heterogeneous subsurface media: application of surface complexation model. *Environ Sci Technol* 36: 937-942.
130. Wazne M, Korfiatis GP, Meng X (2003) Carbonate effects on hexavalent uranium adsorption by iron oxyhydroxides. *Environ Sci Technol* 37: 3619-3624.
131. Herman DS, Geraldine M, Venkatesh T (2007) Evaluation, diagnosis, and treatment of lead poisoning in a patient with occupational lead exposure: a case presentation. *J Occup Med Toxicol* 24: 7.
132. Liu X, Hu Q, Fang Z, Zhang X, Zhang B (2009) Magnetic chitosan nanocomposites: a useful recyclable tool for heavy metal ion removal. *Langmuir* 25: 3-8.
133. Lee S, Laldawngliana C, Tiwari D (2012) Iron oxide nano-particles-immobilized-sand material in the treatment of Cu (II), Cd (II) and Pb (II) contaminated waste waters. *Chem Eng J* 195: 103-111.
134. Unob F, Wongsiri B, Phaeon N, Puanngama M, Shiohatana J (2007) Reuse of waste silica as adsorbent for metal removal by iron oxide modification. *J Hazard Mater* 142: 455-462.
135. Huang Y, Hsueh C, Huang C, Su L, Chen C (2007) Adsorption thermodynamic and kinetic studies of Pb (II) removal from water onto a versatile Al₂O₃-supported iron oxide. *Sep Purif Technol* 55: 23-29.
136. Rui X, Wang Y, Zhang X, Lu C (2014) Facile synthesis of magnetic nanocomposites of cellulose@ultra-small iron oxide nanoparticles for water treatment. *R soc Chem Adv* 4: 226-232.
137. Otto M, Floyd M, Bajpai S (2008) Nanotechnology for site remediation. *Remed J* 9: 99-108.
138. Kim Y, Lee B, Yi J (2003) Preparation of functionalized mesostructured silica containing magnetite (MSM) for the removal of copper ions in aqueous solutions and its magnetic separation. *Sep Sci Technol* 38: 2533-2548.
139. Wang Y, Zou B, Gao T, Wu X, Lou S, et al. (2012) Synthesis of orange-like Fe₃O₄/PPy composite microspheres and their excellent Cr(VI) ion removal properties. *Journal of Materials Chemistry* 22: 9034-9040.
140. Barnett MO, Jardine PM, Brooks SC, Selim HM (2000) Adsorption and transport of uranium(VI) in subsurface media. *Soil Sci Soc Am J* 64: 908-917.
141. WHO (2005) Uranium in drinking water. Background document for the development of WHO guidelines for drinking water quality.
142. Zamora ML, Zielinski JM, Meyerhof DP, Moss MA (1998) Chronic ingestion of uranium in drinking water: a study of kidney bioeffects in humans. *Toxicol Sci* 43: 68- 77.
143. Bargar JR, Reitmeyer R, Lenhart JJ, Davis JA (2000) Characterization of U(VI)carbonato ternary complexes on hematite: EXAFS and electrophoretic mobility measurements. *Geochim Cosmochim Acta* 64: 2737-2749.
144. Duff MC, Amrhein C (1996) Uranium(VI) adsorption on goethite and soil in carbonate solutions. *Soil Sci Soc Am J* 60: 1393-1400.
145. Waite TD, Davis JA, Payne TE, Waychunas GA, Xu N (1994) Uranium(VI) adsorption to ferrihydrite: Application of a surface complexation model. *Geochim Cosmochim Acta* 58: 5465-5478.
146. Katsoyiannis IA, Althoff HW, Bartel H, Jekel M (2006) The effect of groundwater composition on uranium(VI) sorption onto bacteriogenic iron oxides. *Water Res* 40: 3646-3652.
147. Katsoyiannis IA (2007) Carbonate effects and pH-dependence of uranium sorption onto bacteriogenic iron oxides: Kinetic and equilibrium studies. *J Hazard Mater* 139: 31-37.
148. Barnett MO, Jardine PM, Brooks SC (2002) U(VI) adsorption to heterogeneous subsurface media: application of surface complexation model. *Environ Sci Technol* 36: 937-942.
149. Wazne M, Korfiatis GP, Meng X (2003) Carbonate effects on hexavalent uranium adsorption by iron oxyhydroxides. *Environ Sci Technol* 37: 3619-3624.
150. Herman DS, Geraldine M, Venkatesh T (2007) Evaluation, diagnosis, and treatment of lead poisoning in a patient with occupational lead exposure: a case presentation. *J Occup Med Toxicol* 24: 7.
151. Liu X, Hu Q, Fang Z, Zhang X, Zhang B (2009) Magnetic chitosan nanocomposites: a useful recyclable tool for heavy metal ion removal. *Langmuir* 25: 3-8.
152. Lee S, Laldawngliana C, Tiwari D (2012) Iron oxide nano-particles-immobilized-sand material in the treatment of Cu (II), Cd (II) and Pb (II) contaminated waste waters. *Chem Eng J* 195-103-111.
153. Unob F, Wongsiri B, Phaeon N, Puanngama M, Shiohatana J (2007) Reuse of waste silica as adsorbent for metal removal by iron oxide modification. *J Hazard Mater* 142: 455-462.
154. Huang Y, Hsueh C, Huang C, Su L, Chen C (2007) Adsorption thermodynamic and kinetic studies of Pb (II) removal from water onto a versatile Al₂O₃-supported iron oxide. *Sep Purif Technol* 55: 23-29.

155. Rui X, Wang Y, Zhang X, Lu C, (2014) Facile synthesis of magnetic nanocomposites of cellulose@ultra-small iron oxide nanoparticles for water treatment. *R Soc Chem Advance* 4: 226-232.
156. Otto M, Floyd M, Bajpai S (2008) Nanotechnology for site remediation. *Remed J* 9: 99-108.
157. Kim Y, Lee B, Yi J (2003) Preparation of functionalized mesostructured silica containing magnetite (MSM) for the removal of copper ions in aqueous solutions and its magnetic separation. *Sep Sci Technol* 38: 2533-2548.
158. Pomati F, Castiglioni S, Zuccato E, Fanelli R, Vigetti D, et al. (2006) Effects of a complex mixture of therapeutic drugs at environmental levels on human embryonic cells. *Environ Sci Technol* 40: 2442-2447.
159. Kim Y, Choi K, Jung JY, Park S, Kim PG, et al. (2007) Aquatic toxicity of acetaminophen carbamazepine cimetidine diltiazem and six major sulfonamides and their potential ecological risks in Korea. *Environ Int* 33: 370-375.
160. Kolok AS, Snow DD, Kohno S, Sellin MK, Guillet LJ (2007) Occurrence and biological effect of exogenous steroids in the Elkhorn River Nebraska USA. *Sci Total Environ* 388: 104-115.
161. Lysimachou A, Arukwe A (2007) Alteration of brain and interrenal StAR protein P450scc and Cyp11 beta mRNA levels in Atlantic salmon after nominal waterborne exposure to the synthetic pharmaceutical estrogen ethynylestradiol. *J Toxicol Environ Health Part A* 70: 606-613.
162. Lai HT, Hou JH, Su CI, Chen CL (2009) Effects of chloramphenicol florfenicol and thiamphenicol on growth of algae *Chlorella pyrenoidosa* *Isochrysis galbana* and *Tetraselmis chui*. *Ecotoxicol. Environ Saf* 72: 329-334.
163. Carlsson B, Johansson AK, Alvan G, Kuhler T (2006) Are pharmaceuticals potent environmental pollutants? Part I: Environmental risk assessments of selected active pharmaceutical ingredients. *Sci Total Environ* 364: 67-87.
164. Hao C, Lissemore L, Nguyen B, Kleywegt S, Yang P, et al. (2006) Determination of pharmaceuticals in environmental waters by liquid chromatography/electrospray ionization/tandem mass spectrometry. *Anal Bioanal Chem* 384: 505-513.
165. Lin AYC, Plumlee MH, Reinhard M (2006) Natural attenuation of pharmaceuticals and alkylphenol polyethoxylate metabolites during river transport: Photochemical and biological transformation. *Environ Toxicol Chem* 25: 1458-1464.
166. Xu WH, Zhang G, Zou SC, Li XD, Liu YC (2007) Determination of selected antibiotics in the Victoria Harbour and the Pearl River South China using high performance liquid chromatography- electrospray ionization tandem mass spectrometry. *Environ Pollut* 145: 672-679.
167. Pedrouzo M, Reverte S, Borrull F, Pocurull E, Marce RM (2007) Pharmaceutical determination in surface and wastewaters using high performance liquid chromatography-(electrospray)-mass spectrometry. *J Sep Sci* 30: 297-303.
168. Zhang SY, Zhang QA, Darisaw S, Ehie O, Wang GD (2007) Simultaneous quantification of polycyclic aromatic hydrocarbons (PAHs) polychlorinated biphenyls (PCBs) and pharmaceuticals and personal care products (PPCPs) in Mississippi river water in New Orleans Louisiana USA. *Chemosphere* 66: 1057-1069.
169. Santos JL, Aparicio I, Callejon M, Alonso E (2009) Occurrence of pharmaceutically active compounds during 1-year period in wastewaters from four wastewater treatment plants in Seville (Spain). *J Hazard Mater* 164: 1509-1516.
170. Nakada N, Kiri K, Shinohara H, Harada A, Kuroda K, et al. (2008) Evaluation of pharmaceuticals and personal care products as water-soluble molecular markers of sewage. *Environ Sci Technol* 42: 6347-6353.
171. Stulten D, Zuhlke S, Lamshoft M, Spittler M (2008) Occurrence of diclofenac and selected metabolites in sewage effluents. *Sci Total Environ* 405: 310-316.
172. Chang H, Hu JY, Wang LZ, Shao B (2008) Occurrence of sulfonamide antibiotics in sewage treatment plants. *Chin Sci Bull* 53: 514-520.
173. Latham AH, Williams ME (2008) Controlling transport and chemical functionality of magnetic nanoparticles. *Acc Chem Res* 41: 411-420.
174. Toprak MS, Mc Kenna BJ, Mikhaylova M, Waite JH, Stucky GD (2007) Spontaneous assembly of magnetic microspheres. *Adv Mater* 19: 1362-1368.
175. Ambashtha RD, Sillanpaa M (2010) Water purification using magnetic assistance: A review. *J Hazard Mater* 180: 38-49.
176. Yavuz CT, Mayo JT, Yu WW, Prakash A, Falkner JC, et al. (2006) Low-field magnetic separation of monodisperse Fe₃O₄ nanocrystals. *Science* 314: 964-967.
177. Shannon MA, Bohn PW, Elimelech M, Georgiadis JG, Marinas BJ, et al. (2008) Science and technology for water purification in the coming decades. *Nature* 452: 301-310.
178. Zhihui AI, Cheng Y, Zhang LZ, Qiu JR (2008) Efficient removal of Cr(VI) from aqueous solution with Fe@Fe₂O₃ core-shell nanowires. *Environ Sci Technol* 42: 6955-6960.
179. Tuutijarvi T, Lu J, Sillanpaa M, Chen G (2009) As(V) adsorption on maghemite nanoparticles. *J Hazard Mater* 166: 1415-1420.
180. Yantasee W, Warner CL, Sangvanich T, Addleman RS, Carter TG, et al. (2007) Removal of heavy metals from aqueous systems with thiol functionalized superparamagnetic nanoparticles. *Environ Sci Technol* 41: 5114-5119.
181. Iram M, Guo C, Guan YP, Ishfaq A, Liu HZ (2010) Adsorption and magnetic removal of neutral red dye from aqueous solution using Fe₃O₄ hollow nanospheres. *J Hazard Mater* 181: 1039-1050.
182. Ma ZY, Guan YP, Liu XQ, Liu HZ (2005) Preparation and characterization of micron-sized non-porous magnetic polymer microspheres with immobilized metal affinity ligands by modified suspension polymerization. *J Appl Polym Sci* 96: 2174-2180.
183. Wang P, Shi QH, Shi YF, Clark K, Stucky GD, et al. (2009) Magnetic permanently confined micelle arrays for treating hydrophobic organic compound contamination. *J. Am. Chem. Soc* 131: 182-188.
184. Wang HT, Keller AA, Clark K (2011) Natural organic matter removal by adsorption onto magnetic permanently confined micelle arrays. *J. Hazard. Mater* 194: 156-161.
185. Clark KK, Keller AA (2012) Adsorption of perchlorate and other oxyanions onto magnetic permanently confined micelle arrays (Mag-PCMA). *Water Res* 46: 635-644.
186. Akhavan O, Azimirad R (2009) Photocatalytic property of Fe₂O₃ nanograin chains coated by TiO₂ nanolayer in visible light irradiation. *Appl Catal A Gen* 369: 77-82.
187. Bandara J, Klehm U, Kiwi J (2007) Raschig rings-Fe₂O₃ composite photocatalyst activate in the degradation of 4-chlorophenol and Orange II under daylight irradiation. *Appl Catal B Environ* 76: 73-81.
188. Wu F, Sheng DN, Hua HL (2000) Degradation mechanism of azo dye CI reactive red 2 by iron powder reduction and photooxidation in aqueous solutions. *Chemosphere* 41: 1233-1238.
189. Khedr M, Abdelhalim K, Soliman N (2009) Synthesis and photocatalytic activity of nanosized iron oxides. *Mater Lett* 63: 598-601.
190. Otto M, Floyd M, Bajpai S (2008) Nanotechnology for site remediation. *Remed J* 19: 99-108.
191. Zhang XW, Lei LC (2008) Preparation of photocatalytic Fe₂O₃-TiO₂ coatings in one step by metal organic chemical vapor deposition. *Appl Surf Sci* 254: 2406-2412.
192. Akhavan O, Azimirad R (2009) Photocatalytic property of Fe₂O₃ nanograin chains coated by TiO₂ nanolayer in visible light irradiation. *Appl Catal A Gen* 369: 77-82.
193. Peng LL, Xie TF, Lu YC, Fan HM, Wang DJ (2010) Synthesis, photoelectric properties and photocatalytic activity of the Fe₂O₃/TiO₂ heterogeneous photocatalysts. *Chem Phys* 12: 8033-8041.
194. Shinde S, Bhosale C, Rajpure K (2011) Photocatalytic oxidation of salicylic acid and 4-chlorophenol in aqueous solutions mediated by modified AlFe₂O₃ catalyst under sunlight. *J Mol Catal A* 347: 65-72.
195. Lei J, Liu CS, Li FB, Li XM, Zhou SG, Liu TX, et al. (2006) Photodegradation of orange I in the heterogeneous iron oxide-oxalate complex system under UVA irradiation. *J Hazard Mater* 137: 1016-1024.

196. Leland JK, Bard AJ (1987) Photochemistry of colloidal semiconducting iron oxide polymorphs. *J Chem Phys* 91: 5076-5083.